Annual Returns form for Health Care Facilities / Common Biomedical Waste Treatment and Disposal Facility (CBWTF) PCB ID: 109892 Health Care Facility / CBWTF Name: Lanxess India Pvt.Ltd. Birlagram, Nagda 2019 1 Year 2 Type of Health Care Facility Clinic / Dispensary 2 Number of Beds 3 License Number and Date of 4 WB62447 31/08/2 Expiry of License Do you have Captive Treatment 5 Yes No Facility? Quantity of Waste Generated or Disposed in Kg per annum (on monthly average basis) 5.750 Yellow Category 6 7 Red Category 3.350 8 2.300 White Category 9 0 Blue Category 0 10 General Solid Waste Details of the Storage, Treatment, Transportation, Processing and Disposal Facility Details of the on-site storage Colour coded containers. 11 facility 12 NEE,NCS Treatment Facility Quantity of Recyclable Waste sold 0.0 13 to Authorized Recyclers after Treatment (in kg / Year) Number of Vehicles used for 14 0 Collection and Transportation of **Biomedical Waste** Details of Incineration Ash and 15 ETP Sludge generated and 0 disposed during the Treatment of

1 of 3 30/09/2020, 4:39 PM

	waste (in Kg / Year)	
16	Name of the Common Bio- Medical Waste Treatment Facility Operator through which waste are disposed of	Hoswin Incinerator Pvt. ltd
17	Do you have bio-medical waste management committee? If yes, minutes of the meetings held during the reporting period	⊚Yes No
Details of Trainings conducted on Bio Medical Waste Management		
18	Number of Trainings conducted on BMW Management	1
19	Number of Personnel Trained	3
20	Number of Personnel Trained at the time of Induction	
21	Number of Personnel not undergone any Training so far	0
22	Whether standard manual for Training is available ?	© Yes ● No
23	Any other information	
Details of the accident occurred during the year		
24	Number of Accident occurred	0
25	Number of the persons affected	0
26	Remedial Action taken (details if any)	-
27	Any Fatality Occurred , details	No
28	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	© Yes ● No
29	Details of Continuous Online Emission Monitoring systems installed	NA

2 of 3

30	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year	0
31	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	© Yes ● No NA
32	Any other relevant information	
Update		

3 of 3